## **AMENDMENTS TO THE SPECIFICATION:**

Please replace the title with the following amended title:

--RESIN COMPOSITION FOR REFLECTOR PLATE AND REFLECTOR PLATE--.

Please amend the paragraph at page 9, line 20, as follows:

Specific examples of the branched <u>straight</u> chain aliphatic diamine component unit include <u>2-methyl-1,5-diaminopetane</u> <u>2-methyl-1,5-diaminopentane</u>, 2-methyl-1,6-diaminohexane, 2-methyl-1,7-diaminoheptane, 2-methyl-1,8-diaminooctane, 2-methyl-1,9-diaminononane, 2-methyl-1,10-diaminodecane, 2-methyl-1,11-diaminoundecane and the like. Of these, 2-methyl-1,7-diaminoheptane, 2-methyl-1,8-diaminooctane and 2-methyl-1,9-diaminononane are preferred.

Please amend the paragraph at page 13, line 11, as follows:

Specific examples of the ultraviolet absorber include 2-[2'-hydroxy-3'-(3",4",5",6"-tetrahydrophthalimidemethl)-5'-methylphenyl]-benzotriazole 2-[2'-hydroxy-3'-(3",4",5",6"-tetrahydrophthalimidemethyl)-5'-methylphenyl]-benzotriazole, 2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-[(hexyl)oxy]-phenol, 2-[4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl]-5-(octyloxy)phenol and the like.

Please amend the paragraph at page 24, line 11, as follows:

Polyamide resin (A2)

Composition: dicarboxylic acid component unit (terephthalic acid/62.5 mol% and adipic acid/37.5 mol%) and diamine component unit (1,6-diaminohexane/100 mol%)

Intrinsic viscosity [η]: 1.0 dl/g

Melting point: 320°C

Please amend Table 1 at page 27 as follows:

		Unit	Ex. 1	Ex. 2	Ex 3	Ex. 4	Ex. 5	Ex. 6	Comp.	Comp.	Comp.	Comp.	Comp.
									Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5
Polyamide resin (A1)	(A1)	% by mass	09	99	09	09	99	09	29	0	0	09	60
Polyamide resin (A2)	(A2)	% by mass	0	0	0	0	0	0	0	29	90	0	0
Intrinsic viscosit	Z F	g/lb	8.0	9.0	8.0	8.0	8.0	8.0	8.0	1	1	8.0	0.8
Inorganic filler (E	9)	% by mass	30	25	25	25	25	25	22	22	30	25	25
White pigment (C)	0	part(s) by	11	15	15	15	15	15	11	11	11	15	15
		mass % hv mass										-	
Iltraviolet absorber	her	nart(s) by	c	  -	0.3	0.4	0.3	0.4	C	c	0	0	0
(D1)	3	mass	>	>	) 5	<u>.</u> 5	)		)	•		•	,
Ultraviolet absorber	rber	part(s) by	0	0	0	0	0	0	0	0	0	0.3	0
(D2)		mass											
Hindered amine		part(s) by	0	0	9.0	8.0	0	0	0	0	0	9.0	0.8
compound (D3)		mass											
Hindered amine		part(s) by	0	0	0	0	9.0	0	0	0	0	0	0
compound (D4)		mass										000	
flexural modulus of	s of	MPa	0009	2000	2000	2000	2000	2000	4000	4000	0009	2000	2000
elasticity													
Peeling properties	es		0	0	0	0	0	0	×	×	Poor filling	0	0
Reflectance	470	ı	0	0	0	0	0	0	0	0	0	0	0
-	틷												
	520	ı	0	0	0	0	0	0	0	0	0	0	0
	E												
	650	ı	0	0	0	0	0	0	0	0	0	0	0
	ᇤ												